



PRICE LIST 2025

# ENOITALIA





**FRUIT LINE**



# FRUIT PROCESSING LINES

Elevator with washing system, with or without mill. Pag. 10



Bin tipper. Pag. 9



**SOFT PULP FRUIT WITH THE STONE**

**HARD PULP FRUIT WITHOUT THE STONE**

Destoner-pulper Delta (2 steps). Pag. 8

Belt press. Pag. 12



Filtration. Pag. 13



Pasteuriser. Pag. 14



Filling in bag in box. From pag.33

Filling in bottles. From pag. 25





# POMEGRANATE AND PRICKLY PEAR SEMIAUTOMATIC LINE




Video

Cod. 4271+4278



Cod. 9928



Cod. 3210T



### STANDARD FEATURES (4271 - 3210T)

- Structure in stainless steel AISI 304
- Aluminum rollers
- 40 mm hose fittings for cod. 4271 and 50 mm for cod. 3210T
- Removable and interchangeable internal basket
- Accident prevention protections

MODEL		
Cod.	Description	€
4271	Crusher separate for whole fruit - stainless steel HP2 fixed rollers	
4278	Inox support for crusher with loading hopper	
3210T	Jolly 30 destemmer crusher for pomegranates with Euro 50 pump	
9928	Motorized storage tank with Euro40 pump and automatic operating probes	
801	Pulper for pomegranate arils - model DELTA 1	
4277	Centrifuge gravity filter with automatic draining pump	

OPTIONAL		
Cod.	Description	€
9172	Electronical inverter for cod. 3210T	
9173	Electronical inverter for EURO pump	

MODEL	ENGINE Kw	POWER	CAPACITY	DIMENSION mm	WEIGHT
4271	1,5	220V-50Hz / 380V-50Hz	1200 Kg/h	1210x600x630	65 Kg
3210T	1,8	380V-50Hz	3000 Kg/h	1280x900x900	150 Kg



# DESTEMMER FOR ELDER BERRY AND ELDER FLOWER



OUTLET



Cod. 4278



### STANDARD FEATURES

- Structure in AISI 304 stainless steel
- Special stainless steel internal basket
- Stainless steel feeding screw
- HP1 engine

### MODEL

Cod.	Description	€
4279	Elderberry separator	
4278	Inox support for crusher with loading hopper	

### OPTIONAL

Cod.	Description	€
004/S	Electronic speed variator	
009	Stainless steel support for cod. 4279 open version (as an alternative to 4278)	

MODEL	ENGINE HP (Kw)	PRODUCTION	DIMENSION	WEIGHT
4279	HP1 (0,75)	800-1000 Kg/h	120x600x690 mm	53 Kg



# DESTONER PULPER DELTA



Video



DELTA 1 + cod. 4256



DELTA 2



Cod. 804



DELTA ZERO

MODEL		
Cod.	Description	€
802	Destoner DELTA ZERO	
801	Destoner DELTA 1 Three-phase	
803	Destoner DELTA 2 Three-phase	
804	Destoner DELTA 2 for tropical fruit application	

OPTIONAL		
Cod.	Description	€
4256	Automatic control panel for external pump in aspiration, three-phase, for Delta 1 e 2	
4260	Additional internal basket for DELTA 0 with hole size 0,8 - 12 mm	
4261	Additional internal basket for DELTA 1 with hole size 0,8 - 12 mm	
4262	Additional internal basket for DELTA 2 with hole size 0,8 - 12 mm	
4263	Single rubber plate for DELTA 0	
4264-1	Single rubber plate for DELTA 1	
4264-2	Single rubber plate for DELTA 2	
4265	Internal basket for DELTA ZERO with hole 0,6 mm	
4266	Internal basket for DELTA 1 with hole 0,6 mm	
4250	Electronic speed variator for Delta 1/2 (max 5,5 Kw)	
4251	Increased difference for 7,5 Kw engine for Delta 2	

### STANDARD FEATURES

- Engine and emergency stop
- Structure in AISI 304 stainless steel
- Stainless steel shaft with adjustable rubber blades
- Electrical system with emergency stop
- Stainless steel loading screw
- Stainless steel mesh with 0.8-12mm holes
- Thermal protection for the engine
- Frequency inverter 7,5 Kw and automatic loading hopper (as standard on cod. 804)

MODEL	ENGINE HP (Kw)	POWER	STONE UNLOADING HEIGHT	JUICE UNLOADING HEIGHT	LOADING HEIGHT	CAPACITY	DIMENSION mm	WEIGHT
802	1,5 (1,1)	Single-phase / Three-phase	400 mm	300 mm	1300 mm	550 Kg/h	1500x800x1450	80 Kg
801	4 (3)	Three-phase	480 mm	370 mm	1420 mm	1200 Kg/h	1400x700x1420	150 Kg
803	5,5 (4)	Three-phase	480 mm	470 mm	1620 mm	2000 Kg/h	1800x850x1850	250 Kg
804	7,5 (5,5)	Three-phase	480 mm	470 mm	1620 mm	3000 Kg/h	1800x850x2200	300 Kg



# BIN TIPPER



## STANDARD FEATURES

- Structure in AISI 304 stainless steel
- Maximum case weight 300 - 1000 kg
- Hydraulic unit for gradual tilt control
- Outlet guillotine for product dosing

## MODEL

Cod.	Description	€
4232	Bin Tipper 300 Kg	
4233	Bin Tipper 1000 Kg	

MODEL	DIMENSION CASE	ENGINE	MAX. CAPACITY	DIMENSION	WEIGHT
4232	1200x1000x1000 mm	2,2 Kw	300 Kg	1290x1650x1260 mm	220 Kg
4233	1200x1000x1000 mm	2,2 Kw	1000 Kg	1800x1650x1750 mm	300 Kg






# BELT WASHING ELEVATOR FOR FRUIT



Video



Cod. 4286 + 4287



Cod. 4287

## STANDARD FEATURES

- Structure in AISI 304 stainless steel
- Support trolley in stainless steel on 4 wheels
- Speed variator
- Removable internal basket
- Total drain with inox ball valve
- Control panel with emergency stop
- Fruit rinsing station
- Removable protection for quick cleaning
- Removable sorting table 1mt lenght

## MODEL

Cod.	Description	€
4281	Belt elevator and washing with speed variator and sorting table	
4286	Belt elevator with washing tank and integrated mill, speed variator and sorting table	

## OPTIONAL

Cod.	Description	€
4287	System for storage tank barboter	
4289	Extension for installation with Delta 2 (h.350 mm)	
4290	Probe for connecting press discharge level	


MODEL	ENGINE HP (Kw)	POWER	UNLOADING HEIGHT	LOADING HEIGHT	CAPACITY	DIMENSION mm	DIMENSION HOPPER mm	WEIGHT
4281	1 (0,75)	Three-phase	1880 mm	910 mm	3000 Kg/h	2300/3000x900x2300h	870x840	230 Kg
4286	1 (0,75) + 4 (3)	Three-phase	1450 mm	910 mm	1000 Kg/h	2300/3000x900x2300h	870x840	260 Kg



# MILL FOR FRUIT WITH ENGINE



Video



Cod. 4267 + 4269 + 4268

### STANDARD FEATURES

- Structure in AISI 304 stainless steel
- Adjustable feet
- Emergency stop system on opening
- HP 2,5 single-phase 220V 50hz or three-phase 380V electric motor
- Emergency stop
- Interchangeable pressing sieve, holes available: 3,8,12mm (standard)

### MODEL

Cod.	Description	€
991	MILL FOR FRUIT M-100	

### OPTIONAL

Cod.	Description	€
4267	Special sieve with holes 3 or 8 mm	
4268	KIT replace blades	
4269	Mill scraper	
9175	Engine 110V - 60Hz	

MODEL	ENGINE HP (KW)	HOPPER DIMENSION	LOADING HEIGHT	UNLOADING HEIGHT	CAPACITY	DIMENSION mm	WEIGHT
991	3 (2,2) MF/TF	610 mm	1450 mm	430 mm	1500-1800 Kg/h	1100x610x1400	55 Kg
						packing: 630x580x700	



# BELT PRESS



Cod. 8011



Cod. 8010

## STANDARD FEATURES

- Integrated filtration sieve
- High pressure washer
- integrated pump
- Buffer tank for liquid
- Double PVC belt
- Juice percentage 75%
- Requires air connection 8 bar
- Requires pressurised water connection 140 bar, 500 l/h

## MODEL

Cod.	Description	€
<b>8010</b>	Belt press 400	
<b>8011</b>	Belt press 700	
<b>8012</b>	Belt press 1000	

## OPTIONAL

Cod.	Description	€
<b>8110</b>	Replacement belt 400	
<b>8112</b>	Replacement belt 700	
<b>8113</b>	Replacement belt 1000	

MODEL	CAPACITY Kg/h	POWER Kw	POWER SUPPLY	BELT WIDTH cm	DIMENSIONS	LOADING HEIGHT	UNLOADING HEIGHT	UNLOADING WASTE DISCHARGE HEIGHT
<b>8010</b>	400	1,5	MF/TF 400 V+N	40	1425x1310x1200	1200	620	440
<b>8011</b>	700	1,5	TF 400 V+N	40	2200x1300x1200	1200	890	440
<b>8012</b>	1100	1,5	TF 400 V+N	40	2200x1330x1200	1200	950	370



# JUICE FILTRATION



Cod. 4290



Cod. 4277



## STANDARD FEATURES

- **ROTOR FILTER**
  - Structure in AISI 304 stainless steel
  - Support trolley in stainless steel on 4 wheels
  - Conical 0.3 mm filter
  - Single-phase power for filter
  - Level probes
  - Stainless steel centrifugal pump ENOS 20
  - Control panel with emergency stop
- **FILTER HOUSING DOUBLE FILTRATION**
  - 200 micron double filter housing
  - AISI 304 structure
  - Independent and separable circuit

## MODEL

Cod.	Description	€
4277	Centrifuge gravity filter with automatic draining pump	
4290	Housing filter, double filtration	

## OPTIONAL

Cod.	Description	€
4291	Difference for Three-phase power supply only with cod. 9174	
9174	Difference for volumetric pump EURO 20	
4292	Basket cleaning brush	

MODEL	ENGINE (KW)	POWER	LOADING HEIGHT	CAPACITY	DIMENSION	WEIGHT
4277	0,52	Single-phase	410 mm	1000 Kg/h	800x1080x750 mm	70 Kg
4290	---	---	---	---	---	---



# PASTEURIZERS



300 / 500 lt



500 / 1000 lt



## STANDARD FEATURES

- EPDM impeller pump
- Oil burner (on request: natural gas burner for 500lt / 1000lt)
- Support platform in stainless steel
- Control panel for temperature setting

## MODEL

Cod.	Description	€
8021	Pasteurizer 500 lt/h diesel/gas powered	
8022	Pasteurizer 1000 lt/h diesel/gas powered	
8023	Pasteurizer 300 litres/hour electrical power supply (20 kW)	
8024	Pasteurizer 500 litres/hour electrical power supply (30 kW)	
8025	Pasteuriser 1000 litres/hour electrical power supply (45 kW)	

## OPTIONAL

Cod.	Description	€
8026	Electrical inverter	

MODEL	HOURLY PRODUCTION	DIESEL CONSUMPTION	BURNER CAPACITY	ELECTRICITY SUPPLY	ELECTRIC POWER	JUICE ENTRY	JUICE EXIT	DIMENSION mm
8021	500 lt/h 80°C	8 Kg/h	95 kw	230V/50 MF	1 kw	DIN 25	DIN 20	2050x750x1170
8022	1000 lt/h 80°C	10 Kg/h	95 kw	230V/50 MF	1 kw	DIN 25	DIN 25	2050x750x1170
8023	300 lt/h 80°C	-	-	TF	20 kw	DIN 25	DIN 25	925X913X1470
8024	500 lt/h 80°C	-	-	TF	30 kw	DIN 25	DIN 25	925X913X1470
8025	1000lt/h 80°C	-	-	TF	45 kw	DIN 25	DIN 25	1450X1500X2200



# BOTTLE PASTEURISER 200 LITRE



### STANDARD FEATURES

- 200 litre capacity
- 3 removable baskets with covers
- Temperature control with external control unit
- Three-phase 380 V electrical panel
- Possibility of connection to an external hot water generator

### MODEL

Cod.	Description	€
8030	Bottle pasteuriser 200 litre	

### OPTIONAL

Cod.	Description	€
8032	Difference for temperature control with external pasteuriser	


MODEL	CAPACITY	ENGINE	POWER	DIMENSION	WEIGHT
8030	200 lt	12 Kw	TF 380V	480x1100x880 mm	120 Kg



# MOTORIZED BUFFER HOPPER with level controls



Cod. 9928



Version increased  
Cod. 9929



Cod. 992

### STANDARD FEATURES

- EURO 40 model pump with rotation inverter three-phase / single-phase
- Motorized buffer with 0.37kw engine, capacity 10 lt
- DIN 40 connection fitting
- Stainless steel trolley

### MODEL

Cod.	Description	€
992	Motorized loading hopper with pump EURO 40	
9928	Automatic loading hopper with pump and level sensor	

### OPTIONAL

Cod.	Description	€
9929	Difference for larger version, with tank capacity 60 lt	

MODEL	ENGINE HP (Kw)	HOPPER DIMENSION	CAPACITY PULP	DIMENSION	WEIGHT
992	hp 2,5 kw 1,87 MF/TF	240x320x370 mm	2000 Kg/h	960x900x620 mm	28 Kg
9928	hp 2,5 kw 1,87 TF	240x320x370 mm	2000 Kg/h	520x1200x930 mm	45 Kg



# AUTOMATIC BUFFER TANK



## STANDARD FEATURES

- Frame in stainless steel with conical floor
- Internal filter removable in stainless steel (hole 5x20)
- Panel control single phase with electronic level sensor
- Centrifuge pump ENOS in stainless steel
- Total drain valve
- 4 wheels with brakes
- Grid perforation on request from 0.6 to 6 mm

## MODEL

Cod.	Description	€
4273	Automatic buffer tank with pump ENOS 20 in stainless steel single-phase	
4275	Automatic buffer tank with single-phase panel and plug for external pump (pump not included)	
4276	Automatic buffer tank with three-phase panel and plug for external pump (pump not included)	

## OPTIONAL

Cod.	Description	€
5201	Euro pump 20 Single-phase	
4231	Filtration grid, special perforation	

MODEL	FITTING	HOPPER DIMENSION	HOPPER HEIGHT	CAPACITY	WEIGHT
4273	25 mm	600x700 mm	390 mm	130 lt	36 Kg





# FRUIT CRUSHER with Aluminium roller and Inox blades



ENO 1 - Hopper Inox, with engine 1 HP



Safety protection



MODEL K



MODEL KP



MICROENO, MINIENO, ENO 1 - Hopper Inox with flywheel

MODEL		
Cod.	Description	€
471 K	MICROENO - smalted hopper	
491 K	MINIENO - smalted hopper	
517 KP	MINIENO - hopper Inox	
504 KP	ENO 1 - with ENGINE hopper Inox safety protection	

OPTIONAL		
Cod.	Description	€
006	Safety protection (included on all motorized crusher)	


**STANDARD FEATURES**

- Self-adjusting aluminum rollers
- Flywheel (for models with flywheel)
- Motor with emergency stop (HP1 engine for code 504KP)
- Agitator with stainless steel blades

MODEL	ENGINE HP (Kw)	HOURLY PRODUCTION	HOPPER	DIMENSION mm		WEIGHT		ROLLER LENGHT
				with flywheel	with engine	with flywheel	with engine	
MICROENO	---	300 - 500 Kg/h	555x455 mm	860x365x470	---	14 Kg	---	150 mm
MINIENO	---	500 - 700 Kg/h	650x470 mm	1000x390x490	---	18 Kg	---	220 mm
ENO 1	1 (0,75)	500 - 700 Kg/h	850x560 mm	1210x580x350	1210x500x570	22 Kg	33 Kg	220 mm



# MOTORISED POT for jams



### STANDARD FEATURES

- Made of 18/10 (AISI 304) stainless steel
- Extra thick reinforced stainless steel lid with hooks
- Steam release holes
- 220 V - 0.09 kW gear motor
- Stirrer with stainless steel blades and food-grade silicone bottom scraper
- Stainless steel handles
- DIN 32 stainless steel ball valve
- Probe input for thermometer
- Professional analogue thermometer

### MODEL

Cod.	Description	€
8025	100 litre motorised pot	
8026	200 litre motorised pot	

### OPTIONAL

Cod.	Description	€
8027	Gas cooker with stainless steel frame	

MODEL	INNER DIAMETER	HEIGHT	BOTTOM DEEPTH	WALL DEEPTH	WEIGHT
8025	510 mm	495 mm	1,5 mm	1 mm	---
8026	724 mm	495 mm	1,5 mm	1 mm	---





**ENOITALIA**

ENOLOGICAL EQUIPMENTS

Via Provinciale Pisana 162 - 50050 CERRETO GUIDI (FI) - ITALY  
tel. +39 0571 588031 - fax +39 0571 588080  
[www.enoitalia.net](http://www.enoitalia.net) - [info@enoitalia.net](mailto:info@enoitalia.net)

